Contents of Ecological Modelling, Vol. 89

| VOL. 89 NOS. 1–3 | UGUST 1996 |
|---|------------|
| Modeling carbon cycling on disturbed landscapes | |
| W.R. Emanuel (Charlottesville, VA, USA) | 1 |
| Modelling orthophosphate evolution in a high rate algal pond | |
| F. Mesplé, C. Casellas, M. Troussellier and J. Bontoux (Montpellier, France) | 13 |
| Population dynamics of a tree-dwelling aphid: individuals to populations | |
| P. Kindlmann and A.F.G. Dixon (České Budějovice, Norwich, Czech Republic, UK) | 23 |
| Stability, persistence and structural stability in a classical predator-prey model | |
| M.R. Myerscough, M.J. Darwen and W.L. Hogarth (Sydney, N.S.W., Nathan, Australia) | 31 |
| Functional response as a component of dynamic simulation models in biological control: the Catolaccus-boll visystem | veevil |
| B.C. Legaspi, Jr, R.I. Carruthers and J.A. Morales-Ramos (Weslaco, TX, USA) | 43 |
| Implications of semi-stable attractors for ecological modelling | |
| R.E. Byers and R.I.C. Hansell (Toronto, Canada) | 59 |
| On some aspects of the management of a stochastically developing forest | |
| A.A. Batabyal (Logan, UT, USA) | 67 |
| A three-dimensional model of forest development and competition | |
| M. Williams (Norwich, UK) | 73 |
| A spatially-explicit model of search path and soil disturbance by a fossorial herbivore | |
| D.C. Andersen (Denver, CO, USA) | 99 |
| S-system modelling approach to ecosystem: Application to a study of magnesium flow in a tropical forest | |
| N.V. Torres (Islas Canarias, Spain) | 109 |
| A multiconstituent moving segment model for water quality predictions in steep and shallow streams | |
| S.S. Park and Y.S. Lee (Kangwon, South Korea) | |
| A mechanistic model for submerged aquatic macrophyte photosynthesis: Hydrilla in ambient and elevated CO2 | |
| DX. Chen and M.B. Coughenour (Fort Collins, CO, USA) | 133 |
| Landscape pattern, spatial behavior, and a dynamic state variable model | |
| B.D. Baker (Rohnert Park, CA, USA) | 147 |
| A model based on soil structural aspects describing the fate of genetically modified bacteria in soil | |
| N. Van der Hoeven, J.D. Van Elsas and C.E. Heijnen (Delft, Wageningen, Netherlands) | 161 |
| Modelling the tree population dynamics of the most abundant species in a Nigerian tropical rain forest | |
| J.S.A. Osho (Johannesburg, South Africa) | |
| Modelling the role of host plant dispersion in the search success of herbivorous insects: Implications for ecolo | ogical |
| pest management | |
| S.H. Levine and R.E. Wetzler (Medford, MA, USA) | 183 |
| Model convergence and state variable update in forest gap models | |
| H. Bugmann, A. Fischlin and F. Kienast (Schlieren, Birmensdorf, Switzerland, Germany) | 197 |
| Harvesting a lichen-reindeer system in an uncertain environment | |
| M. Virtala (Oulu, Finland) | 209 |

| Modelling the vertical distribution of insects | |
|---|-----|
| W. Ogana (Nairobi, Kenya) | 225 |
| Aquaculture pond ecosystem model: temperature and dissolved oxygen prediction - mechanism and application | |
| S.D. Culberson and R.H. Piedrahita (Davis, CA, USA) | 231 |
| One-dimensional unsteady flow and unsteady pesticide transport in a reservoir | |
| D.J. Mossman and N. Al Mulki (Kansas City, MS, Irbid, USA, Jordan) | 259 |
| A model of the simultaneous nitrogen and carbon removal in a biofilm | |
| H. Hjuler (Copenhagen, Denmark) | 269 |
| Keyword Index | 291 |
| Author Index | 293 |
| Contents of Ecological Modelling, Volume 89 | 295 |